




Trunk Ribbon Fiber Optic Assemblies

Ribbon fiber assemblies by Cablcon combine high fiber density in a small diameter, flexible package. Available in 12-72, 84-96 or 108-144 fiber trunk cable, ribbon fiber can be terminated with a 12 or 24 position connector, or fanned-out and terminated individually. Our cable assemblies are manufactured domestically in the United States at one of our automated ISO 9001 and TL 9000 Certified plants, and are tested to meet or exceed industry standards.



TRUNK CABLE COMPONENTS

- 12-72, 84-96 and 108-144 count ribbon fiber. Trunk ribbon is specifically designed for customers who need a high fiber count in a package that is small, round, flexible and easy to install.
- Small outside diameter (12-72: 0.37", 84-96: 0.40", 108-144: 0.48")
- Solid buffer surrounded by aramid yarn and two dielectric strength rods
- Ideal for high-bandwidth applications and optimized for MPO connectors in both male and female gender
- Available with angle or flat polish
- UL listed to riser and plenum specifications and available in single mode bend insensitive yellow, multimode 10Gig laser optimized aqua (OM3 and OM4) and multimode orange (50/125 and 62.5/125)
- Fiber complies with Telcordia, ICEA, NEC, ANSI-FDDI, IEEE and TIA standards; meets GR-409-CORE

Ribbon CABLE

- Better Cable support than before
- New back post makes assembly Easier

Ribbon Fiber MINI

- Shorter length than before
- Flexible boot gives better Cable Support than before

Ribbon Fiber SHORT

- Shortest MPO Ribbon fiber boot in the market
- Ideal for inside module

3mm Round MINI BOOT

- For 3mm Cable type
- Mini boot, has TWAL data

3mm Round FLEX ANGLE BOOT

- Panted Flex angle boot in 3mm round

FEATURES

- 20N Spring available for 24 fiber ferrule
- Metal Pin Holder
- Better designed boot, stronger and shorter

(see back of brochure for fiber part number descriptions and call for custom breakouts)



DALLAS • DETROIT

Corporate Offices: 359 Robbins Drive • Troy, MI 48083-4561
 Phone: 888.8.CABLCON • Fax: 248.588.1462 • www.cablcon.com

